



**AKSHAR  
CONSULTANTS**

THE ENVIRONMENT MANAGEMENT PEOPLE

704 & 813, Sakar-5, Nr. Mithakhali Railway Crossing, Off Ashram Road, Ahmedabad - 380 009. Tel/Fax : (079) 26583525

Report No. AC/EFF/16-17/070

Date : 16-07-2016

Intas Pharmaceuticals Ltd.,  
Plot No. 191, Vil. : Chacharwadi-Vasna,  
Ta. : Sanand, Dist. : Ahmedabad.

**Sub. : ANALYSIS REPORT OF YOUR TREATED EFFLUENT SAMPLE.**

Sample drawn by : AKSHAR CONSULTANTS.  
Sample drawn date : 11-07-2016.

Sr. No.	Parameter	Result	GPCB Limit
1	pH	7.67	6.5 to 8.5
2	Temperature	33.00	40 Deg. C
3	Colour (Pt-Co Unit)	10.00	100 units
4	Suspended Solids	96.00	100
5	Oil & Grease	1.00	10
6	Phenolic Compounds	0.35	1
7	Cyanides	N. D.*	0.2
8	Fluorides	0.30	1.5
9	Sulphides	N. D.*	0.5
10	Ammonical Nitrogen	34.70	50
11	Arsenic	N. D.*	0.2
12	Total Chromium	N. D.*	2.0
13	Hexavalent Chromium	N. D.*	0.1
14	Copper	N. D.*	2
15	Lead	N. D.*	0.1
16	Mercury	N. D.*	0.01
17	Nickel	N. D.*	3
18	Zink	N. D.*	5
19	Cadmium	N. D.*	2
20	BOD	26.00	30
21	COD	95.00	100
22	Chlorides	571.00	600
23	Sulphate	377.00	1000
24	Total Dissolved Solids	2074.00	2100
25	Insecticides / Pesticides	Absent	Absent
26	Sodium absorption ratio (SAR)	23.05	26
27	Selenium	N. D.*	0.05
28	Boron	N. D.*	2
29	Total residual Chlorine	0.80	1
30	Percent Sodium	57.15	60
31	Bio - assay Test	90 % survival of fish after 96 hrs. in 100 % effluent	90 % survival of fish after 96 hrs. in 100 % effluent

Note : All Parameters except pH, temp., colour, SAR, % Sodium are expressed in mg/L.  
N. D.\* : Not detected in mg/L.

Analysed By,

( Analyst )

For AKSHAR CONSULTANTS,

( AUTHORISED SIGNATORY )



**AKSHAR  
CONSULTANTS**

THE ENVIRONMENT MANAGEMENT PEOPLE

704 & 813, Sakar-5, Nr. Mithakhali Railway Crossing, Off Ashram Road, Ahmedabad - 380 009. Tel/Fax : (079) 26583525

**INSTANTANEOUS NOISE LEVEL MONITORING REPORT**

Name of Company : Intas Pharmaceuticals Ltd.

Address : Plot No. 191, Vil. : Chacharwadi-Vasna,  
Ta. : Sanand,  
Dist. : Ahmedabad.

Date : 11-07-2016

Sr. No.	LOCATIONS	AVERAGE READING ( dB )			
		04:30 PM to 05:00 PM (day time)	GPCB Limit (dB)	11:20 PM to 11:50 PM (night time)	GPCB Limit (dB)
01	Near main gate	57.2	75	52.4	70
02	Near ETP	63.7	75	54.9	70
03	Near Bore well	60.4	75	56.8	70
04	Near Electric Substation	66.4	75	53.0	70
05	Near Canteen	62.8	75	54.3	70
06	Near Utility Area	67.8	75	58.4	70
07	Near Ware House	62.9	75	59.0	70
08	Inside Production Area	65.3	75	62.2	70

Measured by,

( Analyst )

For AKSHAR CONSULTANTS,

( AUTHORISED SIGNATORY )

Noicana



**AKSHAR  
CONSULTANTS**

THE ENVIRONMENT MANAGEMENT PEOPLE

704 & 813, Sakar-5, Nr. Mithakhali Railway Crossing, Off Ashram Road, Ahmedabad - 380 009. Tel/Fax : (079) 26583525

Ref. No. AC/SOLID/16-17/010

Date : 16-07-2016

Intas Pharmaceuticals Ltd.,  
Plot No. 191, Vil. : Chachrwadi-Vasna,  
Ta. : Sanand, Dist. : Ahmedabad.

**Sub. : Analysis report of your ETP sludge sample.**

Source : Effluent Treatment Plant.  
Date of Receipt : 11-07-2016  
Sample drawn by : Akshar Consultants.  
Physical state : Semi – solid sludge.

Sr. No.	Characteristics	Unit	Results
01	pH ( 10 % Solution )	----	7.41
02	Chemical Oxygen Demand ( COD )	gms/kg	23.65
03	Bio-chemical Oxygen Demand ( BOD )	gms/kg	6.88
04	Chlorides	gms/kg	24.92
05	Sulphate	gms/kg	19.04
06	Total Inorganic Solids at 550 Deg. C	gms/kg	677.88
07	Total Dissolved Solids	gms/kg	93.29
08	Total Hardness ( as $\text{CaCO}_3$ )	gms/kg	12.00
09	Calcium Hardness ( as $\text{CaCO}_3$ )	gms/kg	8.00
10	Magnesium Hardness ( as $\text{CaCO}_3$ )	gms/kg	4.00
11	Oil & Oil Emulsions	gms/kg	N. D. *
12	Total Alkalinity ( as $\text{CaCO}_3$ )	gms/kg	2.14

N. D. \*: Not Detected in gms/kg.

Analysed By,

( Analyst )

For AKSHAR CONSULTANTS,

( AUTHORISED SIGNATORY )





**AKSHAR  
CONSULTANTS**

THE ENVIRONMENT MANAGEMENT PEOPLE

704 & 813, Sakar-5, Nr. Mithakhali Railway Crossing, Off Ashram Road, Ahmedabad - 380 009. Tel/Fax : (079) 26583525

Report No. : AC/AIR/16-17/250

Date : 16-07-2016

**SCRUBBER SAMPLING ANALYSIS REPORT**

UNIT	: Intas Pharmaceuticals Ltd.	Sampling Date : 11-07-2016
SITE	: Plot No. 191, Vil. : Chacharwadi-Vasna Ta. Sanand, Dist. : Ahmedabad.	TIME : 01 : 15 PM
SAMPLING LOCATION	: Vent attached to HCl scrubber of wing - 1.	

**GAS CONCENTRATION DATA**

Sampling Duration ( min.)	30.00
Vaccum Gauge Reading (mm. of Hg.)	0.00
Gas flow-rate ( litres per min.)	5.00
Volume of Gas Sampled at STP Conditions ( cu. mt.)	0.15

**RESULTS**

PARAMETER	CONCENTRATION	GPCB Limit
	mg/Nm <sup>3</sup>	mg/Nm <sup>3</sup>
Hydrochloric Acid (HCl)	12.45	20.00
Chlorine	Nil	9.00
Sulphur Di-oxide (SO <sub>2</sub> )	Nil	40.00
Oxides of Nitrogen (NO <sub>x</sub> )	Nil	25.00
Ammonia	Nil	175.00
H <sub>2</sub> S	Nil	45.00
CS <sub>2</sub>	Nil	180.00
CO	Nil	150.00
Hydro Carbon (VOC)	Nil	45.00
Mercaptan	Nil	0.5 (by volume)

Note : STP conditions have been taken as 25° C & 760 mm of Hg atmospheric pressure.

ANALYSED BY,

( Analyst )

FOR AKSHAR CONSULTANTS,

( Authorised Signatory )

...with a commitment to your growth and well-being.



**AKSHAR  
CONSULTANTS**

THE ENVIRONMENT MANAGEMENT PEOPLE

704 & 813, Sakar-5, Nr. Mithakhali Railway Crossing, Off Ashram Road, Ahmedabad - 380 009. Tel/Fax : (079) 26583525

Report No. : AC/AIR/16-17/251

Date : 16-07-2016

**SCRUBBER SAMPLING ANALYSIS REPORT**

UNIT	: Intas Pharmaceuticals Ltd.	Sampling Date : 11-07-2016
SITE	: Plot No. 191, Vil. : Chacharwadi-Vasna Ta. Sanand, Dist. : Ahmedabad.	TIME : 01 : 50 PM
SAMPLING LOCATION	: Vent attached to HCl scrubber of wing - 2.	

**GAS CONCENTRATION DATA**

Sampling Duration ( min.)	30.00
Vaccum Gauge Reading (mm. of Hg.)	0.00
Gas flow-rate ( litres per min.)	5.00
Volume of Gas Sampled at STP Conditions ( cu. mt.)	0.15

**RESULTS**

PARAMETER	CONCENTRATION	GPCB Limit
	mg/Nm <sup>3</sup>	mg/Nm <sup>3</sup>
Hydrochloric Acid (HCl)	13.20	20.00
Chlorine	Nil	9.00
Sulphur Di-oxide (SO <sub>2</sub> )	Nil	40.00
Oxides of Nitrogen (NO <sub>x</sub> )	Nil	25.00
Ammonia	Nil	175.00
H <sub>2</sub> S	Nil	45.00
CS <sub>2</sub>	Nil	180.00
CO	Nil	150.00
Hydro Carbon (VOC)	Nil	45.00
Mercaptan	Nil	0.5 (by volume)

Note : STP conditions have been taken as 25° C & 760 mm of Hg atmospheric pressure.

ANALYSED BY,

( Analyst )

FOR AKSHAR CONSULTANTS,

( Authorised Signatory )



**AKSHAR  
CONSULTANTS**

THE ENVIRONMENT MANAGEMENT PEOPLE

704 & 813, Sakar-5, Nr. Mithakhali Railway Crossing, Off Ashram Road, Ahmedabad - 380 009. Tel/Fax : (079) 26583525

Report No. : AC/AIR/16-17/252

Date : 16-07-2016

**SCRUBBER SAMPLING ANALYSIS REPORT**

UNIT	: Intas Pharmaceuticals Ltd.	Sampling Date : 11-07-2016
SITE	: Plot No. 191, Vil. : Chacharwadi-Vasna Ta. Sanand, Dist. : Ahmedabad.	TIME : 02 : 30 PM
SAMPLING LOCATION	: Vent attached to Solvent Vapour scrubber of wing - 1.	

**GAS CONCENTRATION DATA**

Sampling Duration ( min.)	30.00
Vaccum Gauge Reading (mm. of Hg.)	0.00
Gas flow-rate ( litres per min.)	5.00
Volume of Gas Sampled at STP Conditions ( cu. mt.)	0.15

**RESULTS**

PARAMETER	CONCENTRATION	GPCB Limit
	mg/Nm <sup>3</sup>	mg/Nm <sup>3</sup>
Hydrochloric Acid (HCl)	Nil	20.00
Chlorine	Nil	9.00
Sulphur Di-oxide (SO <sub>2</sub> )	Nil	40.00
Oxides of Nitrogen (NOx)	Nil	25.00
Ammonia	Nil	175.00
H <sub>2</sub> S	Nil	45.00
CS <sub>2</sub>	Nil	180.00
CO	Nil	150.00
Hydro Carbon (VOC)	6.10	45.00
Mercaptan	Nil	0.5 (by volume)

Note : STP conditions have been taken as 25° C & 760 mm of Hg atmospheric pressure.

ANALYSED BY,

( Analyst )

FOR AKSHAR CONSULTANTS,

( Authorised Signatory )



**AKSHAR**  
**CONSULTANTS**

THE ENVIRONMENT MANAGEMENT PEOPLE

704 & 813, Sakar-5, Nr. Mithakhali Railway Crossing, Off Ashram Road, Ahmedabad - 380 009. Tel/Fax : (079) 26583525

Report No. : AC/AIR/16-17/253

Date : 16-07-2016

**SCRUBBER SAMPLING ANALYSIS REPORT**

UNIT	: Intas Pharmaceuticals Ltd.	Sampling Date : 11-07-2016
SITE	: Plot No. 191, Vil. : Chacharwadi-Vasna Ta. Sanand, Dist. : Ahmedabad.	TIME : 03 : 10 PM
SAMPLING LOCATION	: Vent attached to Solvent Vapour scrubber of wing - 2.	

**GAS CONCENTRATION DATA**

Sampling Duration ( min.)	30.00
Vaccum Gauge Reading (mm. of Hg.)	0.00
Gas flow-rate ( litres per min.)	5.00
Volume of Gas Sampled at STP Conditions ( cu. mt.)	0.15

**RESULTS**

PARAMETER	CONCENTRATION	GPCB Limit
	mg/Nm <sup>3</sup>	mg/Nm <sup>3</sup>
Hydrochloric Acid (HCl)	Nil	20.00
Chlorine	Nil	9.00
Sulphur Di-oxide (SO <sub>2</sub> )	Nil	40.00
Oxides of Nitrogen (NO <sub>x</sub> )	Nil	25.00
Ammonia	Nil	175.00
H <sub>2</sub> S	Nil	45.00
CS <sub>2</sub>	Nil	180.00
CO	Nil	150.00
Hydro Carbon (VOC)	8.35	45.00
Mercaptan	Nil	0.5 (by volume)

Note : STP conditions have been taken as 25° C & 760 mm of Hg atmospheric pressure.

ANALYSED BY,

( Analyst )

FOR AKSHAR CONSULTANTS,

( Authorised Signatory )





**AKSHAR  
CONSULTANTS**

THE ENVIRONMENT MANAGEMENT PEOPLE

704 & 813, Sakar-5, Nr. Mithakhali Railway Crossing, Off Ashram Road, Ahmedabad - 380 009. Tel/Fax : (079) 26583525

Report No. : AC/AIR/16-17/254

Date : 16-07-2016

**AMBIENT AIR SAMPLING ANALYSIS REPORT**

UNIT	: Intas Pharmaceuticals Ltd.	Sampling Date : 11-07-2016
SITE	: Plot No. 191, Vil. : Chacharwadi-Vasna Ta. Sanand, Dist. : Ahmedabad.	TIME : 10 : 15 AM
SAMPLING LOCATION	: In open space near main gate.	

**AMBIENT AIR QUALITY DATA**

<u>( A ) 8 hourly observation :</u>	
1. Duration of sampling	10 : 15 AM to 06 : 15 PM
2. Weight of PM <sub>2.5</sub> collected	0.369 mg.
3. Volume of Air sampled	7.335 Cubic meter
4. PM <sub>2.5</sub> concentration	50.31 µg / m <sup>3</sup> GPCB Limit 60 µg/m <sup>3</sup>

( B ) 8 hourly observation :

Time : 10 : 15 AM to 06 : 15 PM

Volume of Air Sampled ( cu. mt. )	0.24	GPCB Limit µg/m <sup>3</sup>
Sulphur Di-oxide ( SO <sub>2</sub> ) ( ug/m <sup>3</sup> )	17.40	80.00
Nitrogen Di-oxide ( NO <sub>2</sub> ) ( ug/m <sup>3</sup> )	29.94	80.00

ANALYSED BY,

( Analyst )

FOR AKSHAR CONSULTANTS,

( Authorised Signatory )





**AKSHAR  
CONSULTANTS**

THE ENVIRONMENT MANAGEMENT PEOPLE

704 & 813, Sakar-5, Nr. Mithakhali Railway Crossing, Off Ashram Road, Ahmedabad - 380 009. Tel/Fax : (079) 26583525

Report No. : AC/AIR/16-17/255

Date : 16-07-2016

**AMBIENT AIR SAMPLING ANALYSIS REPORT**

UNIT	: Intas Pharmaceuticals Ltd.	Sampling Date : 11-07-2016
SITE	: Plot No. 191, Vil. : Chacharwadi-Vasna Ta. Sanand, Dist. : Ahmedabad.	TIME : 10 : 15 AM
SAMPLING LOCATION	: In open space near main gate.	

**AMBIENT AIR QUALITY DATA**

(A) 8 hourly observation :	
1. Duration of sampling	10 : 15 AM to 06 : 15 PM
2. Weight of PM <sub>10</sub> collected	0.653 mg.
3. Volume of Air sampled	7.409 Cubic meter
4. PM <sub>10</sub> concentration	88.14 µg / m <sup>3</sup> GPCB Limit 100 µg/m <sup>3</sup>

ANALYSED BY,

(Analyst)

FOR AKSHAR CONSULTANTS,

(Authorised Signatory)



**AKSHAR  
CONSULTANTS**

THE ENVIRONMENT MANAGEMENT PEOPLE

704 & 813, Sakar-5, Nr. Mithakhali Railway Crossing, Off Ashram Road, Ahmedabad - 380 009. Tel/Fax : (079) 26583525

Report No. : AC/AIR/16-17/256

Date : 16-07-2016

**WORK AREA AIR SAMPLING ANALYSIS REPORT**

UNIT	: INTAS PHARMACEUTICALS LTD.
SITE	: Plot No. 191, Vil. : Chacharwadi-Vasna Ta. Sanand, Dist. : Ahmedabad.

Sr. No.	Sampling location	Date of Sampling	Weight of PM <sub>2.5</sub> collected (in ug)	Volume of Air sampled (in m <sup>3</sup> )	Dust concentration – PM <sub>2.5</sub> (in ug/m <sup>3</sup> )	GPCB Limit (in ug/m <sup>3</sup> )
1	Ware House Dispensing Area	11/07/'16	57.95	7.35	7.88	60.00
2	Ground floor of Manufacturing plant	11/07/'16	58.30	7.60	7.67	60.00
3	First floor of Manufacturing plant	11/07/'16	58.15	7.10	8.19	60.00

Sr. No.	Sampling location	Date of Sampling	Ethyl Acetate concentration (VOC) (in ug/m <sup>3</sup> )
1	Ware House Dispensing Area	11/07/'16	BDL
2	Ground floor of Manufacturing plant	11/07/'16	BDL
3	First floor of Manufacturing plant	11/07/'16	BDL

BDL : Below Detectable Limit.

ANALYSED BY,

( Analyst )

FOR AKSHAR CONSULTANTS,

( Authorised Signatory )